




MODULAR HOUSE

MODULAR HOUSE

We build not only a house, but also a home, and we are committed to making the world better with our speciality



PRODUCT BROCHURE




MODULAR HOUSE

- > Specialized container house manufacturing enterprises.
- > Focus on the research and production of smart modular constructions.

20FT/Expandable Container House

①



 **20FT - black - white**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

②



 **20FT - black - Charcoal**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

③



 **20FT - black - Gray**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

④



 **20FT - White - White**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑤




 **20FT - White - Charcoal**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑥



 **20FT - Gray - Camouflage**

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
EElectricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

20FT/Expandable Container House

⑦



20FT cladding-Black-grey

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑧



20FT cladding-White-White

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑨



20FT cladding-Black-Wood grain

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑩



20FT cladding-White-Grey

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑪



20FT cladding-White-Sky Blue

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑫



20FT cladding-White-Blue

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
EElectricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

20FT/Expandable Container House

⑬



Trailer house -Black-Yellow

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑭



Trailer house -Black-Gray

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑮



20FT Roof terrace-White

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑯



20FT Roof terrace-Black-White

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑰



20FT Roof staircase-White-Wood grain

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

⑱




20FT Roof staircase-White

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
EElectricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

20FT/Expandable Container House

30FT/40FT/Expandable Container House

19



40FT-Black-White

Expanded size:	L11800 * W6540 * H2530
Folded size:	L11800 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

20



40FT Custom roof-White-brown

Expanded size:	L11800 * W6540 * H2530
Folded size:	L11800 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level


21



40FT-Black-Charcoal

Expanded size:	L11800 * W6540 * H2530
Folded size:	L11800 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

22



30FT-Black-Gray

Expanded size:	L9000 * W6540 * H2530
Folded size:	L9000 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

23



30FT Side door-Black-Gray

Expanded size:	L9000 * W6540 * H2530
Folded size:	L9000 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

24




30FT/40FT Custom glass curtain wall-Black-Gray

Expanded size:	L11800 * W6540 * H2530
Folded size:	L11800 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
EElectricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

20FT/40FT/Studio

25



20FT/30FT/40FT Glass curtain wall-White

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

26



20FT Small double wing folding house

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

27



Studio-cladding- Black-grey

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

28



Studio-cladding- Black-Wood grain

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

29



Double level expandable folding house

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
Electricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

30




Expandable folding house - large terrace

Expanded size:	L5900 * W6540 * H2530
Folded size:	L5900 * W2220 * H2530
Steel structure:	3mm Hot galvanized steel structure with 4 corner casts
Wall panel:	50/75/100 mm EPS/Rock woll/ PU sandwich panel
Wall color:	White, Charcoal, grey or customized
Roof:	galvanized steel plate/FRP (glass fiber reinforced plastic)
Door:	Made of steel / aluminum frame, dimension
Window:	Made of steel /aluminum frame, dimension
Floor:	Fireproof panel 18mm PVC grain board
Bathroom:	Premium/ standard or customized
Floor load:	250 kg/sqm
EElectricity:	3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.
Wind resistance:	11 level
Earthquake resistance:	8 level

Sliding Out

25



Sliding Out - black - 2.26m H

Option size: L5900 * W4050 * H2550

Close size: L5900 * W2260 * H2550

Internal height: 2.26m H

Steel structure: 3mm Hot galvanized steel structure with 4 corner casts

Wall panel: 50/75/100 mm EPS / Rock woll / PU sandwich panel

Wall color : White, Charcoal, grey or customized

Roof: galvanized steel plate/FRP (glass fiber reinforced plastic)

Door: Made of steel / aluminum frame,dimension

Window: Made of steel / aluminum frame,dimension

Floor : Fireproof panel 18mm PVC grain board

Bathroom : Premium/ standard or customized

Floor load : 250 kg/sqm

Electricity: 3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.

Wind resistance : 11 level

Earthquake resistance : 8 level

Apple Pod

26



Apple Pod - cladding - 2.26m H

Size: L5900 * W2260 * H2550

Internal height: 2.26m H

Steel structure: 3mm Hot galvanized steel structure with 4 corner casts

Wall panel: 50/75/100 mm EPS / Rock woll / PU sandwich panel

Wall color : White, Charcoal, grey or customized

Roof: galvanized steel plate/
FRP (glass fiber reinforced plastic)

Door: Made of steel / aluminum frame,dimension

Window: Made of steel / aluminum frame,dimension

Floor : Fireproof panel 18mm PVC grain board

Bathroom : Premium/ standard or customized

Floor load : 250 kg/sqm

Electricity: 3C/CE/CL/SAA Standard,with distribution box, lights, switch, sockets, etc.

Wind resistance : 11 level

Earthquake resistance : 8 level

04 Our products

Expandable Container House



Expandable Container House

The expandable container house is more and more popular, it has been upgraded with functional accessories.



04 Our products

Expandable Container House



Full range of accessories

The house is equipped with electric lighting, cabinets, bathrooms, doors and windows, which can be customized to meet different requirements.



04 Our products
Expandable Container House

flashing



Corner fitting



galvanized steel



FRP




Steel frame



Sliding window



Thick floor






Sliding door



PVC floor



Stand bar



20FT
internal display

04 Our products

Expandable Container House

flashing



Corner fitting



galvanized steel



FRP




Steel frame



Sliding window



Thick floor



Sliding door



PVC floor




Stand bar






04 Our products

Expandable Container House



40FT
internal display








04 Our products

Expandable Container House





Floor Plans(20FT)

The company is very professional in the production of high-end modular container houses,at the same time, we can also custom made modular container house according to the special requirements of customers.



Floor Plans(40FT)

We can professionally make comfortable, safe, environmentally friendly, fast developed new buildings, and provide our customers with integrated services for both design and installation.



Premium studio/Mini Double Wing Folding House



04 Our products Studio(20FT/40FT)


Luxurious atmosphere durable,
integrated molding, seismic,
windproof,waterproof,
four seasons adaptation,
with good anti-corrosion
anti rust function.

20FT Studio



35

04 Our products Studio(20FT/40FT)



Our products

Studio(20FT/40FT)

This studio is widely used for offices, hotels, dormitories.
It comes with an economic floor size, so there is no need for cumbersome installation
procedures. Customers can quickly put it into use, so the costs of manpower and
building materials are greatly reduced.




36

Studio(20FT/40FT)





The frame of the studio house is relatively strong, which makes the building look more solid.



Studio frame

Housing good load-bearing, can be stacked 3 floors, the production of container office with good earthquake resistance, and high stability. Beautiful appearance. The frame of the studio house is relatively strong, which makes the building look more solid.

Studio(20FT/40FT) internal display





Container housing combination

This kind of building is set up with a combination of multiple container houses.

Dazzlingly fashionable building will be built in a very short period of time.



X1




X4



Container housing junction








04 Our products
Production details

Production details

20FT Product picture					
20FT Basic size	Expansion size Internal dimension	L5900mm*W6420mm*H2550mm L5332mm*W6270mm*H2260mm	Folding size	L5900mm*W2260mm*H2550mm	
40FT Product picture					
40FT Basic size	Expansion size Internal dimension	L11808mm*W6420mm*H2520mm L11205mm*W6270mm*H2260mm	Folding size	L11808mm*W2260mm*H2520mm	
	 photos only for reference				
Main steel configuration	Name	Specifications	Thickness mm	material type	picture
	Hoisting Castings	40FT 160*180*110mm 20FT 160*160*110mm		cast	
	Unfold bottom purlin	Galvanized square pipe 40*60*1.8mm	1.8mm	Q235A	
	Body frame	Galvanized square pipe 100*150*3.0mm 150*150*3.0mm 100*80mm	3.0mm		
	Expansion top frame	Profiled steel	1.8mm	Q235ste	
Floor material	Floor	Inorganic fireproof material			
	Floor leather	PVC			

Door and window configuration	Sliding doors	2270*1930mm		
	Swing doors	2075*800mm		
	Interior door	2050*800mm		
	Bathroom door	2050*730mm		
	window	W1125* H1100 \w950*1100 70 plastic steel single glass push-pull guardrail window, 3mm glass		
		500*500mm\600*600mm 70 plastic steel single glass push-pull guardrail window, 3mm glass		
Floor material	Main power cord	6mm ² Australian standard soft copper wire		
	air conditioning wire	4mm ² Australian standard soft copper wire		
	Lighting line	1.5mm ² Australian standard soft copper wire		
	Socket cable	2.5mm ² Australian standard soft copper wire		
	Light	LED lamp	24W	
	socket	Australian standard 6 holes	10A	
	socket	Australian standard 3、6 holes	10A	
	switch	Circuit breaker		
	distribution box			

Cabinet configuration	cupboard			
	mesa			
	Water basin			
	drainpipe			
	tap			
	Water supply pipes			
Bathroom configuration	Basin pipes			
	cabinet			
	drainpipe			
	faucet			
	Shower room			
	toilet			
	shower			
	Stainless steel explosion proof pipe			
	Stainless steel towel holder			
	Bathroom Sliding doors			
Exterior wall structure	EPS exterior wall panel top plate material	75mm、50mm	EPS steel plate	
	Outer top plate	Galvanized flat steel sheet		

Auxiliary material	seam strip	PVC	per pcs	
	15A、32A Industrial plug	20FT use 15A 40FT use 32A	3 points 15A、32A Triple core 3-wire	
	M24 support-leg		M24	
	PVC glue	glue		
	water-stop	polytetrafluoroethylene		
	Plastic cap		Φ19	
	50mm water pipe plug		Φ50	
	glass glue		hard	
	gun of glass glue			
	D -type strip		For seaming gap white	
	Water-proof strip		100#	
	Drill		Φ4.2	
	inner hexagon spanner		Φ10	
	cross screw head			
	screw		Φ50	
	big cap drill tail screw		Φ38	
	rivet		Φ4.2	

04 Our products Apple Pod

Luxurious atmosphere durable,
integrated molding, seismic,
windproof, waterproof,
four seasons adaptation,
with good anti-corrosion
anti rust function.




Apple Pod

04 Our products Apple Pod

integrated molding

Arc design

Large glass penetrates light



Our products

Tiny Ipod with the comfort of Home

The Apple Pod house comes with unique design and strong structure, integrated molding, curve design and large glass curtains. It is easy and fast to ship, assemble and disassemble when needed, regardless of geographical limits.



Apple pod



front



side1




side2




Steel frame



lamp

Internal
cladding board

PVC floor




sliding window

top-hung
push window



floor




glass

3D metal
carved boarddorfugated bamboo and
wao comppsite upard

Apple pod internal display





Apple pod specification

Product type	Exterior dimensions	Interior collocation
3m Pod House 870kg/set Could Load 4 sets/40HC	Size L 2.93m * W 2.24m * H2.36m	AU Standard Cabinets + Side push out window+Top spotlight
4m Pod House Type-A 1100kg/set Could Load 3 sets/40HC	Size L3.93m* W2.24m* H2.36m	AU Standard Washroom with shower +Side push out window+ bedside cupboard+ Top spotlight+Bed+Basin
4m Pod House Type-A 1100kg/set Could Load 3 sets/40HC	Size L3.93m* W2.24m* H2.36m	AU Standard Washroom with shower +Side push out window+ bedside cupboard+ Top spotlight+Bed+Basin

Product type	Exterior dimensions	Interior collocation
5m Pod House Type-A 1100kg/set Could Load 2 sets/40HC	Size: L4.95m* W2.24m* H2.36m	AU Standard Cabinets + Side push out window+Top spotlight
5m Pod House Type-B 1100kg/set Could Load 2 sets/40HC	Size: L4.95m* W2.24m* H2.36m	AU Standard Washroom with shower +Side push out window+ bedside cupboard+ Top spotlight+Bed+Basin
6m Pod House Type-A 2070kg/set Could Load 2 sets/40HC	Size: L5.93m*W2.24m*H2.37m	Australia Standard Washroom with shower+Back push out window+ bedside cupboard+Top spotlight+Bed
6m Pod House Type-B 2070kg/set Could Load 2 sets/40HC	Size: L5.93m*W2.24m*H2.37m	Australia Standard Washroom with shower+Back push out window+ Top spotlight+Basin+ Sofa



Luxurious atmosphere durable,
integrated molding, seismic,
windproof, waterproof,
four seasons adaptation,
with good anti-corrosion,
anti-rust function.

Portable toilets



Our products

Portable toilets


This portable single toilet is widely used in daily life - offices, hotels, dormitories, etc. It comes with a small size, so there is no need for cumbersome installation procedures. Our customers can quickly put it into use, thus the costs of manpower and building materials are greatly reduced.





Advantages of portable toilet


1. Strong mobility, so as to avoid the waste of resources caused by house demolition.
2. Various treatment methods can be adopted according to the limitation of the environment.
3. It covers a small area. Compared with the traditional toilet, the portable toilet greatly saves the land area, which just caters to the current land tension situation.
4. It is beautiful and generous. On the basis of ensuring practicality, it pays attention to the importance of beauty and becomes a scenic line of tourist attractions and park districts.



Portable toilets internal display


Many options for portable toilets, with one or two closets, bathroom + flush toilet, we also have models for the disabled, custom design is available.





Portable toilets

products		size	Project description	weight
	products 1	L2260*W1450*H2300 Customizable	With 1 toilet, 1 basin and 1 shower inside	750kg
	products 2	L2260*W1450*H2300 Customizable	With 1 toilet, 1 basin and 1 shower inside	750kg
	products 3	L2260*W1450*H2300 Customizable	Separate toilet With 1 toilet,1 basin	750kg



picture	Name	Properties materials	Thickness mm	Specifications
	Hoisting Corner pieces	cast steel		
	Body frame	Galvanized square pipe	3.0mm	
	Floor	Glass magnesium fireproof floor	18mm	Inorganic fireproof materials
	Floor leather	PVC	2mm	
	Door	EPS+ steel plate	75mm\50mm	W840*H2110
	window	Broken bridge aluminum		W700*H500
	Shower	stainless steel		
	faucet	stainless steel		

	cabinet			
	cabinet	ceramics		
	Toilet paper boxes	ABS		
	Standard shower room			
	Toilet brush	Aluminum alloy		900*900mm
	socket		European standard 3 holes	
	switch		Circuit breaker	
	Exhaust fan			

Our products ——— Folding container house



Container folding

Basic size	Expansion size Length 5900mm* Width 2480mm* height 2540mm Internal dimension Length 5730mm* Width 2360mm* height 2410mm		Folding size Length 5900mm * width 2480mm*height 340 (-5~7)mm	
	Nnme	Specifications	Thickness/ mm	Properties/materials
Bottom frame secondary purlin	Galvanized square pipe 40*40*5.9m	1.3	Q235	
Bottom purlin	Galvanized square pipe 40*40*2.36m	1.3	Q235	
Bottom stringer	Galvanized square pipe 60*140*5.9m	1.5	Q235	
Side fan main beam 2	Shaped P tube40*55*5.9m	1.3	Q235	
Floor	2810*1180	15	Glass magnesium fireproof floor	



Our products — Flat packing container house



Standard house	size	6055mm*2990mm*2896mm		
Index	Insulation	0.043W/m·K	Wind resistance	0.50kN/ m²
	sound insulation	≥ 30dB	Fire proof performance	level A
	waterproof	level 2	Seismic	level 8
	Ground live load	2.0kN/ m²	performance	0.5kN/ m²
Main structure	main section bar	The thickness of galvanized ground frame beam is 2.3mm; The thickness of galvanized roof frame beam is 2.3mm; The thickness of galvanized column is 2.3mm; Zinc content: 80g.		
	Structural connection	M12 * 40 high strength bolt		
	Spraying process	Galvanized process, polyester finish		



Ground system	Bottom panel	910 type white corrugated board, 0.3mm thick
	Thermal insulation material	Glass wool roll felt, thickness 100mm, volume weight 14kg / M ³ The combustion performance is grade A non combustible
	Damp proof course	PE resin film
	Structural plate	Cement fiber board, 18mm thick
	Flooring	PVC environment-friendly plastic floor, 2.0mm thick, blue
door	Entrance doors	Steel door, size ≥ w845 * h2035, stainless steel door lock
window	Outer window	Size: w1120 * H1100 (two sides) Double glass (4 + 9 + 4) insulation glass with anti-theft net and screen window
decoration	Interior decorative corner	Color steel profiled corner piece, thickness 0.5mm, color Xinyu white